


BUTTERFIELD[®] COLOR



A SIKA BRAND

Uni-Mix[®] Granular


Integral Concrete Colorant

Uni-Mix[®] LIQUID

Integral Concrete Colorant



COLORING SYSTEM GUIDE



A SIKA BRAND

Please indicate when ordering

- Uni-Mix[®] Granular: **G#**
- Uni-Mix[®] Liquid: **L#**

 G2474/L2474 Weathered Terra Cotta	 G2272/L2272 Hampshire Red	 G5229/L5229 D.O.T. Red	 G3296/L3296 Brick Red
 G0427/L0427 Bermuda Sands	 G0645/L0645 Paradiso	 G1561/L1561 Dusty Rose	 G3259/L3259 Cayenne
 G0345/L0345 Driftwood	 G2693/L2693 Sautillo Tile	 G0569/L0569 Coral Buff	 G1788/L1788 Mocha Brown
 G0861/L0861 Savannah	 G1723/L1723 Honeycomb	 G3446/L3446 Golden Amarillo	 G1447/L1447 Santa Fe Buff
 G0448/L0448 Putty	 G0618/L0618 River Delta	 G0678/L0678 Khaki	 G0895/L0895 Clam Shell
 G2592/L2592 Bella Brown	 G3371/L3371 Flaxseed	 G2511/L2511 Ripe Fig	 G2464/L2464 Ancho Chili

Many things can affect the appearance of color. For best color matching results, a representative job site sample should be cast using materials and finishing techniques that will be used on the project.

Colors shown on this chart represent formulations using medium gray cement and sealed with solvent-based Clear Guard[®] Cure and Seal. Variations can be expected due to differences in cement, aggregates and method of application.

 G0857/L0857 Desert Hue	 G1085/L1085 Sandstone	 G0911/L0911 Millstone	 G0850/L0850 Autumn Oak
 G0815/L0815 Pampas Grass	 G0903/L0903 Sonoran Tan	 G0961/L0961 Harvest Wheat	 G0413/L0413 Buckskin
 G0644/L0644 Sunset Beige	 G1798/L1798 Muted Copper	 G1066/L1066 Georgia Clay	 G3363/L3363 Sienna
 G3429/L3429 Citrine	 G0262/L0262 Salt Marsh Gray	 G1296/L1296 Earthen	 G3421/L3421 Walnut
 G0652/L0652 Weathered Teak	 G1828/L1828 Smokey Quartz	 G2550/L2550 Soapstone	 G1736/L1736 Sorrell
 G0322/L0322 Ash	 G0665/L0665 Gull Gray	 G2296/L2296 Charcoal	 G4615/L4615 Deep Charcoal


Uni-Mix[®] Granular

Integral Concrete Colorant

Uni-Mix[®] LIQUID

Integral Concrete Colorant

BUTTERFIELD[®] COLOR



A SIKA BRAND

The Butterfield Color[®] Advantage

Color is an integral part of what we see every day. From the subtle earth tones of sand, wheat, and sage, to the bright colors of a sunset or mountain range, combinations of colors can be used to set the mood and theme. Color decisions are made with two factors in mind – specific design needs and how well the color will endure year after year. Color and durability are the very essence of Butterfield Color[®]. With over 40 years of field experience in architectural colored concrete, we offer a line of concrete color additives that are technically superior and meet the needs of the architectural specifier as well as the concrete finisher.

MasterFormat[™] Guide Specifications, and Butterfield Color[®] Architectural Details and Specifications are available for the specifier/designer. All information is available for download online at www.butterfieldcolor.com or at 800-282-3388.

Uni-Mix[®] Granular

Integral Concrete Colorant

Product Description: Uni-Mix[®] Granular Integral Concrete Colorant is free-flowing concentrated pigment granules designed to permanently color concrete and other cementitious materials. They can be poured directly into concrete mixes, conveyed by gravity feed or pneumatic equipment, or pre-dispensed into pulpable bags that can later be added directly to the concrete mix as a single unit. Uni-Mix[®] Granular Integral Concrete Colorant can be used to color cast-in-place, precast, and dry-cast concrete floor slabs, walls, steps, sidewalks, curbs, columns, arches, blocks, pavers, and other decorative objects.

Uni-Mix[®] LIQUID

Integral Concrete Colorant

Product Description: Uni-Mix[®] Liquid Integral Concrete Colorant is an admixture for integrally coloring ready mixed concrete during batching. It is a blend of non-fading synthetic iron oxides, which produce uniform, streak free colors in concrete. Uni-Mix[®] Liquid colorants mix freely, quickly and evenly without additional water, maintaining the strength and freeze/thaw resistance of the cured concrete. Superior quality control during manufacturing ensures that your installations will have uniform color from load-to-load and year-to-year. Uni-Mix[®] Liquid Integral Concrete Colorant is suitable for all concrete flat work installations such as interior floors and exterior hardscapes, as well as precast, tilt-up and cast-in-place applications. Uni-Mix[®] Liquid Integral Concrete Colorant is composed of synthetic iron oxide pigments dispersed and suspended in a pH adjusted water-based solution. Uni-Mix[®] Liquid Integral Concrete Colorant can be added to ready mixed concrete at the batch plant or on site with pre-measured pails made with a Butterfield Color[®] Uni-Mix[®] Liquid Dispensing System.

- **48 standard colors**
- **Weather resistant, UV stable, lightfast, and alkali resistant**

FOR PROFESSIONAL USE ONLY. Prior to use of any Butterfield Color, Inc. product, the user must always read and follow the warnings and instructions on the product's most current Technical Data Sheet, product label and Safety Data Sheet which are available online at www.butterfieldcolor.com or at 800-282-3388. Nothing contained in any Butterfield Color, Inc. materials relieves the user of the obligation to read and follow the warnings and instruction for each Butterfield Color, Inc. product as set forth in the current Technical Data Sheet, product label and Safety Data Sheet prior to product use.

LIMITED WARRANTY AND DISCLAIMER – EXCLUSIVE REMEDY: Butterfield Color, Inc. ("BC") warrants that this product conforms to its published specifications when it is shipped. THIS LIMITED WARRANTY IS THE EXCLUSIVE WARRANTY AND THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BC does not warrant any particular method of use or application of the product or its performance under any particular condition. If this product does not conform to its published specifications when shipped, we will replace the product as your exclusive remedy. Any action for breach of the limited warranty or any other liability arising from this product must be brought within 90 days of receiving the product. BC is not liable for consequential damages or personal injury arising from the use, storage or handling of this product.

625 W Illinois Ave, Aurora, IL 60506 | www.butterfieldcolor.com | 800.282.3388

© 2019 Butterfield Color, Inc. All rights reserved. | 11067 | LN11059 | 10.1311.2

Distributed by:

